

Nixon & Vanderhye PC.
ATTORNEY AT LAW8TH FLOOR
1100 NORTH GLEBE ROAD
ARLINGTON, VIRGINIA 22201-4714TELEPHONE: (703) 816-4000
FACSIMILE: (703) 816-4100
WRITER'S DIRECT DIAL NUMBER:**FACSIMILE COVER SHEET**
PLEASE DELIVER IMMEDIATELY!!!!Our Ref.: 124-926Your Ref.: 10/069,461 Date: 6/30/04To: Ev. SmithFirm: USPTOFacsimile No.: 571 273 2251From: Paul BowenNumber of Pages (including cover sheet):
(IF YOU DO NOT RECEIVE ALL OF THE PAGES OR ENCOUNTER DIFFICULTIES IN TRANSMISSION,
PLEASE CONTACT US IMMEDIATELY AT (703-816-4000).

FACSIMILE OPERATOR

ATTACHMENT/S:

MESSAGE:

Attached are the draft claims (19+23)
per our discussion. Please call should you
have any questions or comments.

Respectfully submitted,

Paul Bowen

Reg No 38,009.

CONFIDENTIALITY NOTE

The documents accompanying this facsimile transmission contain information belonging to Nixon & Vanderhye, which is confidential and/or legally privileged. This information is only intended for the use of the individual or entity named above. IF YOU ARE NOT THE NAMED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISCLOSURE, COPYING, DISTRIBUTION OR TAKING OF THIS INFORMATION FOR ANY USE WHATSOEVER IS STRICTLY PROHIBITED. If you have received this facsimile in error, please immediately contact us by telephone to arrange for return of the original documents to us.

APPENDIX
U.S. Application No. 10/069,461
Our Ref.: 124-926

19. A flexible pressure indicator, wherein the pressure indicator comprises:
a flexible display diaphragm, and,
a flexible indicator diaphragm bearing a recognisable configuration or pattern,
wherein said display diaphragm and said indicator diaphragm, respectively, form first and
second opposing outer surfaces of said pressure indicator, said diaphragms forming a
compartment within said indicator, and wherein ~~a change in pressure applied to at least~~
~~one each~~ of the outer surfaces of the pressure indicator ~~causes~~ ^{in response to} ~~is structured, with change~~
in pressure, to cause relative movement between the diaphragms such that, at a certain
degree of compression, the pattern or configuration on the indicator diaphragm becomes
visible through the display diaphragm.

6/30
2:28 pm

23. A pressure indicator comprising:
a display diaphragm; and
an indicator diaphragm, said indicator diaphragm coupled to and in
communication with the display diaphragm, wherein the display diaphragm comprises a
compressible lenticular material and the indicator diaphragm bears a recognizable
configuration or pattern, and wherein a change in pressure applied to at least one of said
diaphragms causes relative movement between the diaphragms, thereby compressing the
lenticular shape of said lenticular material to change the diffractive and reflective
properties of the display diaphragm, thus causing an image of said recognizable
configuration or pattern to be externally visible through said display diaphragm.

856106

Smith, Richard A.

From: Paul Bowen [PTB@nixonvan.com]
Sent: Wednesday, June 30, 2004 2:02 PM
To: Smith, Richard A.
Subject: USSN 10/069,461; our docket no. 124-926 - CONFIDENTIAL



Dear Examiner Smith,

Attached is an Appendix including the claim amendments to claims 19 and 23 that we discussed. I believe this places the entire case in condition for allowance.

Should there be any trouble accessing this document, please contact me at 703.816.4019. A fax version will follow, for comparison purposes.

Respectfully submitted,

Paul T. Bowen

Reg. No. 38,009

Paul T. Bowen, Esq.
Nixon & Vanderhye, P.C.
1100 N. Glebe Road, 8th Floor
Arlington, VA 22201-4714
main phone line: (703) 816-4000
facsimile: (703) 816-4100
direct phone line: (703) 816-4019
www.nixon-vanderhye.com